

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) An image signal transmitting/receiving method comprising the steps of:

transmitting/receiving a main image signal;

checking whether a cut-off mode has been set for the main image signal; and

transmitting and displaying, during a telephonic communication, a sub-image signal instead of the main image signal in case that the cut-off mode is set.
2. (Original) The method of claim 1, wherein the main image signal is a signal to be transmitted or a received image signal.
3. (Original) The method of claim 1, wherein the sub-image signal is a signal stored in a predetermined storing area.
4. (Original) The method of claim 3, wherein the sub-image signal is a signal inputted by a user.

5. (Original) The method of claim 3, wherein the sub-image signal is a previously transmitted main image signal.

6. (Original) The method of claim 1, wherein the main image signal is transmitted and displayed in case that the cut-off mode has not been set.

7. (Currently Amended) An image signal transmitting/receiving apparatus comprising:

an image signal processor for processing a main image signal;

a display unit for displaying the received main image signal;

a controller for checking whether a cut-off mode has been set for the main image signal; and

an image signal selector for selectively outputting, during a telephonic communication, a sub-image signal instead of the main image signal to the image signal processor or the display unit in case that the cut-off mode has been set.

8. (Original) The apparatus of claim 7, wherein the sub-image signal is a signal stored by a user or the main image signal that has been previously transmitted.

9. (Currently Amended) The apparatus of claim 7, wherein the image signal selector outputs the main image signal to the image signal processor in case that the cut-off mode has not been set.[]]

10. (Currently Amended) An image signal transmitting apparatus comprising:
an image signal processor for processing a main image signal;
a controller for checking whether a cut-off mode has been set for the main image signal; and
an image signal selector for outputting a sub-image signal instead of the main image signal to the image signal processor in case that the cut-off mode has been set, the image signal selector outputting the sub-image signal during a telephonic communication.

11. (Original) The apparatus of claim 10, wherein the sub-image signal is a signal stored by a user or the main image signal that has been previously transmitted.

12. (Currently Amended) The apparatus of claim 10, wherein the image signal selector outputs the main image signal to the image signal processor in case that the cut-off mode has not been set.[]]

13. (Currently Amended) An image signal receiving apparatus comprising:
an image signal processor for processing a main image signal;
a display unit for displaying the received main image signal;
a controller for checking whether a cut-off mode has been set for the main image signal; and
an image signal selector for outputting an sub-image signal instead of the received main image signal to the display unit in case that the cut-off mode has been set, the image signal selector outputting the sub-image signal during a telephonic communication.

14. (Original) The apparatus of claim 13, wherein the sub-image signal is a signal stored by a user or the main image signal which has been previously transmitted.

15. (Original) The apparatus of claim 13, wherein the image signal selector outputs the received main image signal to the image signal display unit in case that the cut-off mode has not been set.

16. (New) The method of claim 1, further comprising setting the cut-off mode.

17. (New) The method of claim 16, wherein the cut-off mode is set during telephonic communication.

18. (New) The apparatus of claim 7, further comprising a device for setting the cut-off mode.

19. (New) The apparatus of claim 18, wherein the cut-off mode is set during telephonic communication.

20. (New) The apparatus of claim 10, further comprising a device for setting the cut-off mode.